



# acoura

## Discover the stylish, versatile and aesthetic freestyle

This lightweight ceiling system, manufactured from 70% recycled PET, is the new acoustic solution from Soundtect.


Manufactured U shape channels nestle quietly with a hidden unique, but carefully engineered, easy to install fixing method, for wall to wall acoustic ceiling applications. ACOURA, available in 24 colours and a variety of widths and depths, offers unbridled reverberation control and a beautiful, serene addition to any room.

### KEY FEATURES & BENEFITS

- Elevated design potential
- Incredible versatility
- Available in 24 colours
- Create bespoke designs in specific corporate or design colours
- Hung from ceilings to create a harmonious finish with superb sound control properties
- Finely turned reverberation thanks to Soundtect's pioneering acoustic technology
- Environmentally friendly and recyclable, Freestyle™ Acoustic Panels are ideal for projects when there is an eco-conscious consideration to be made
- Manufactured by Soundtect®
- Independently certified
- Excellent sound absorption

# freestyle

## Colour range




## Product Specifications

### TYPICAL APPLICATIONS

Wall Coverings

- Composition: 100% Polyester
- Low VOC
- Colour Fastness Properties
  - Colorfastness to Light, AATCC16(3), Class 4.5
- ISO 14006 Certified Manufacturing Facility
- Certified 100% Recyclable
- Recycled Content: Up to 70% (min. 50% post consumer recycled content)



### FIRE RATING

- EN13501, Bs1d0

### SIZE

- Baffle Width: 20mm and up
- Baffle Depth: 55mm and up
- Baffle Length: 1200mm to 3000mm (continuous)
- Baffle Spacing: 5mm, 10mm, 15mm+, Bespoke spacing possible.

### ACOUSTIC PROPERTIES

NRC expected 0.85 - test results pending

### INSTALLATION

- Ceiling Freestyle™ coverings.

### Moisture Absorption

Polyester fibre when exposed to an atmosphere of 50°C at 90% relative humidity for four days showed moisture absorption of less than 0.03% by weight. Polyester is not affected by moisture.

Does not contain any Red List chemicals\*.

# acoura

Installation Method

